

METROPOOL HENGELO

Tech Specs Lights

Bud Stage

Please read all our info below.
Most info covers frequently asked questions in advance sheets.
Do feel free to use all info's below to complete your tour book!

If any given information is unclear, or you foresee a serious issue production wise,
please contact our advancing crew as soon as possible.

We are looking forward to welcoming you at our venue.
Be nice, respect our notes mentioned below, and let's have a wonderful show together!

See you soon at Metropool!

METROPOOL CONTACT

Sound Ronald Geerdink ronald@metropool.nl +31(0)74 243 80 00 (Tuesday-Wednesday 10-14h)	Light Timo Klein Nulent timo@metropool.nl +31(0)74 243 80 00 (Tuesday-Thursday 9-17h)
--	--

Last Update: 02-10-2025

Stichting Poppodium Twente
Industrieplein 10
7553 LL Hengelo

Telefoon: +31 (0)74 24 38 000

Kvk 70990719
Btw NL8585.37.424.B01
Bank: NL16 RABO 0328.0597.81

LIGHTS

Capacity: 800
Stage size: 12 x 6,5 meters, side stage; 2 meters, height; 1,10 meters
Clearance: 7,5 meters

Guest Power Light: 1x 63A CEE-form, Stage Left
1x 32A CEE-form, Stage Left
1x 32A CEE-form, Stage Right

THIS VENUE IS CONTROLLED BY sACN, PLEASE MULTICAST!

HOUSE DESK: 192.168.1.11
GUEST DESK: 192.168.1.12

Truss/rigging Above stage: 3 x 11 meters Sixty82 HD truss, black.
Each truss mounted on 2 GIS LP1 500kg hoists, 1000kg per truss!
Above audience, Carre grid, mounted on 4 GIS LP1 500kg hoists, 2000 kg max!
All hoists are DG8+, 4 meters/minute.

Extra truss; 4 x 1 meter + 4 x 0,5 meter.

1 x Alps AMWP9.5-1200 Aerial work platform (Both stages)

Desk: GrandMA3 Light

Dimming: 24 channels MA touring digital dimmers; 2,3 KW each

Moving heads/effects: 12 x Robe Robin VIVA CMY (above stage)
8 x Robe Robin LEDbeam 350 (above stage)
4 x Robe Robin LEDbeam 350 (side stage)
8 x Robe Robin LEDbeam 150 (Floor)
4 x Robe Robin LEDbeam 150 (Floor, on request)
6 x Robe Robin T1 Profile (Front Light)
3 x Robe Robin T11 Profile (Front Light)
4 x Martin Atomic 3000 LED strobe
8 x Chauvet Strike1 stageblinder
1 x MDG Atmosphere ATMe
1 x Look Viper 2.6 smoke
1 x Cameo instant hazer 1500T pro (on request)

Conventional: 3 x PAR 64 ACL set (2 x fourbar each)

Last Update: 02-09-2025

VIDEO

- Beamer: Panasonic PT-MZ880BEJ laser projector;
Full HD 1920x1080; 8000 LM;
incl 1.7 - 2.3 zoom lens
Video input is patchable, ONLY HDMI input.
- Screen: 400cm x 225cm 16:9
- Mixer (on demand): Roland V40-HD; 4-channel Full HD video mixer; incl preview screen
Inputs possible: 4x HDMI, 4x VGA & 4x composite
Outputs possible: 2x HDMI, 2x VGA, 1x composite
- Lift: 1 x Alps AMWP9.5-1200 Aerial work platform (Both stages)
- Special FX: Any kind of special effects (confetti, pyro, lasers, etc.) Prohibited unless
agreed in advance with Timo Klein Nulent. (Unauthorized use of Special FX is
fined with: € 300,- excl. taxes cleaning costs)

Last Update: 02-10-2025